

- Anderson CL. 1992. Gametophyte development in *Cheilanthes viridis* var. *glauca* (Adiantaceae) with special reference to apogamy. Pp. 376.
- Atkinson LR. 1962. The Schizaeaceae: the gametophyte of *Anemia*. Phytomorphology, 12: 264–288.
- Beck JB, Windham MD, Pryer KM. 2011. Do asexual polyploid lineages lead short evolutionary lives? A case study from the fern genus *Astrolepis*. Evolution, 65: 3217–3221.
- Bell PR. 1960. The morphology and cytology of sporogenesis of *Trichomanes proliferum* Bl. New Phytologist, 59: 53–59.
- Bell PR. 1992. Apospory and apogamy: implications for understanding the plant life cycle. International Journal of Plant Sciences, 153: S123–S136.
- Berggren S. 1888. Ueber Apogamie von *Nothochlaena*. Botanische Centralblätter, 35: 183–184.
- Bierhorst DW. 1975. The apogamous life cycle of *Trichomanes pinnatum*—a confirmation of Klekowski's predictions on homeologous pairing. American Journal of Botany, 62: 448–456.
- Bouharmont J. 1972. Meiosis in apogamously procedure diploid plants of *Asplenium septentrionale*. British Fern Gazette, 10: 237–340.
- Bower FO. 1888. On the normal and abnormal development of the oophyte in *Trichomanes*. Annals of Botany, 1: 269–305.
- Bower FO. 1894. On apospory and production of gemmae in *Trichomanes kaulfussi* Hk. et Grev. Annals of Botany, 8: 465–468.
- Braithwaite AF. 1964. A new type of apogamy in ferns. New Phytologist, 63: 293–305.
- Braithwaite AF. 1986. The *Asplenium aethiopicum* complex in South Africa. Botanical Journal of the Linnean Society, 93:

3433–378.

- Brown DW. 1918. Apogamy in *Phegoperis polypodioides*. Bulletin Torrey Botanical Club, 50: 17–34.
- Chang H-M, Chiou W-L, Wang J-C. 2009. Molecular Evidence for Genetic Heterogeneity and the Hybrid Origin of *Acrorumohra subreflexipinna* from Taiwan. American Fern Journal, 99(2): 61–77.
- Chang YJ, Shieh WC, Tsai JL. 1992. Studies on the karyotypes of the fern genus *Pteris* in Taiwan. In Proceedings of the Second Seminar on Asian Pteridology Taiwan. Tsai J-L & Shieh W-C (ed.), Pp. 93–109.
- Chao Y-S, Liu H-Y, Huang Y-M, Chiou W-L. 2010. Reproductive traits of *Pteris cadieri* and *P. grevilleana* in Taiwan: implications for their hybrid origin. Botanical Studies, 51: 209–216.
- Cheng X, Murakami N. 1998. Cytotaxonomic study of genus *Hymenasplenium* (Aspleniaceae) in Xishuangbanna, Southwestern China. Journal of Plant Research, 111: 495–500.
- Chiou W-L, Huang YM, Hsieh TH, Hsu SY. 2006. *Diplazium megaphyllum* (Bak.) Christ, a rare fern in Taiwan, reproduces by apogamy. Taiwan Journal of Forest Science, 21: 39–47.
- Chiu P-S. 1981. Observations on the chromosome numbers of Chinese ferns. Acta Phytotaxonomica Sinica, 19(4): 451–455.
- Cordle AR, Irish EE, Cheng CL. 2007. Apogamy induction in *Ceratopteris richardii*. International Journal of Plant Sciences, 168(4): 361–369.
- Darnaedi D, Kato M, Iwatsuki K. 1990. Electrophoretic evidence for the origin of *Dryopteris yakuhilvicola* (Dryopteridaceae). Journal of Plant research, 103: 1–10.

De Bary A. 1878. Ueber apogame Farne und die Erscheinung der Apogamie im allgemeinen. *Botanische Zeitschrift*, 36: 449–487.

Desouky FA, Laird SM, Sheffield E. 1990. Oogenesis in the apogamous fern *Pteris cretica*. *Annals of Botany*, 65(3): 297–303.

Doepp W. 1932. Die Apogamie bei *Aspidium remotum* Al Br. *Planta*, 17: 86–152.

Doepp W. 1933. Weitere Untersuchungen an apogamen Farnen. I. *Aspidium filix-mas* Sw. var. *crist.* Hort. *Berichte Deutsche Botanische Gesellschaft*, 5: 341–347.

Elizabeth Dorothy Wuist Brown. 1920. Apogamy in *Osmunda cinnamomea* and *O. claytoniana*. *Bulletin of the Torrey Botanical Club*, 47(8): 339–345.

Evans AM. 1964. A meiotic alternation of generations: a new life cycle in the ferns. *Science*, 143: 261–263.

Evans AM. 1968 .The *Polypodium pectinatumplumula* complex in Florida. *American Fern Journal*, 58: 169–175.

Evans AM. 1968. Interspecific relationships in the *Polypodium pectinatumplumula* complex. *Annals of the Missouri Botanical Gardens*, 55: 193–293.

Evans AM. 1969. Problems of apomixis and the treatment of apogamic complexes. *Bioscience*, 19: 708–711.

Farlow WG. 1874. An asexual growth from the prothallium of *Pteris cretica*. *Quaternary Journal of Microscopic Sciences*, 14: 226–273.

Gabancho LR, Prada C, Gabriely Galán JM. 2010. Sexuality and apogamy in the Cuban *Asplenium auritum-monodon* complex (Aspleniaceae). *Plant Systematics and Evolution*, 289(3-4): 137–146.

Gastony GJ, Gottlieb LD. 1985. Genetic variation in the homosporous fern *Pellaea andromedifolia*. American Journal of Botany, 72: 257–267.

Gastony GJ, Haufler CH. 1976. Chromosome numbers and apomixis in the fern genus *Bommeria* (Gymnogrammaceae). Biotropica, 8(1): 1–11.

Gastony GJ, Windham MD. 1989. Species concepts in pteridophytes: the treatment and definition of agamosporous species. American Fern Journal, 79(2): 65–77.

Gastony GJ. 1986. Electrophoretic evidence for the origin of fern species by unreduced spores. American Journal of Botany, 73: 1564–1569.

Gastony GJ. 1988. The *Pellaea glabella* complex: electrophoretic evidence for the derivations of the apogamosporous taxa and a revised taxonomy. American Fern Journal, 78: 44–67.

Georgevitch P. 1910. Preliminary note on apospory and apogamy in *Trichomanes kaulfussii* Hk. et Grew. Jahrbuch Wissenschaftliche Botanik, 48: 155–170.

Gibby M. 1985. Cytological observations on Indian subcontinent and Chinese *Dryopteris* and *Polystichum* (Pteridophyta: Dryopteridaceae). Bulletin of the British Museum (Natural History, Botany Series), 14:1–41.

Grusz AL, Windham MD, Pryer KM. 2009. Deciphering the origins of apomictic polyploids in the *Cheilanthes yavapensis* complex (Pteridaceae). American Journal of Botany, 96(9): 1636–1645.

Haufler CH, Gastony GJ. 1975. Chromosomes and apomixis in the fern genus *Bommeria* (abstr.). Proceedings of the Indiana

- Academy of Sciences, 84: 425–426.
- Hayes DW. 1924. Some studies of apogamy in *Pellaea atropurpurea*. Transactions of American Microscopical Society, 43: 119–135.
- Heilbronn A. 1910. Apogamie, Bastardierung und Erblichkeitsverhaeltnisse bei einigen Farnen. Flora, 101: 1–42.
- Heim C. 1896. Untersuchungen uber Farnprothallien. Flora, 82: 329–373.
- Hickok LG. 1977. An apomictic mutant for sticky chromosomes in the fern *Ceratopteris*. Canadian Journal of Botany, 55: 2186–2195.
- Hickok LG. 1979. Apogamy and somatic restitution in the fern *Ceratopteris*. American Journal of Botany, 66: 1074–1078.
- Hirabayashi H. 1970. Chromosome numbers in Japanese species of *Dryopteris* (4). The Journal of Japanese Botany, 45: 11–19.
- Hoshizaki B, Moran RM. 2001. Fern grower's manual 2nd ed. Portland Oregon: Timber Press, USA.
- Huang YM, Chou HM, Hsieh TH, Wang JC, Chiou WL. 2006. Cryptic characteristics distinguish diploid and triploid varieties of *Pteris fauriei* (Pteridaceae). Canadian Journal of Botany, 84(2): 261–268.
- Huang YM, Chou HM, Wang JC, Chiou WL. 2007. The distribution and habitats of the *Pteris fauriei* complex in Taiwan. Taiwania, 52: 49–58.
- Huang YM, Hsu SY, Hsieh TH, Chou HM, Chiou WL. 2011. Three *Pteris* species (Pteridaceae: Pteridophyta) reproduce by apogamy. Botanical Studies, 52: 79–87.
- Huang YM, Hsu SY, Huang MH, Chiou WL. 2009. Reproductive biology of three Cheilanthesoid ferns in Taiwan. The International

Journal of Plant Reproductive Biology, 1: 109–116.

Irma Reyes-Jaramillo, Sara Lucía Camargo-Ricalde, Ma. de los Ángeles Aquiahuatl-Ramos. 2008. Mycorrhizal-like interaction between gametophytes and young sporophytes of the fern *Dryopteris muenchii* (Filicales) and its fungal endophytes. International Journal of Tropical Biology and Conservation, 56: 1101–1107.

Ishikawa H, Ito M, Watano Y, Kurita S. 2003. Electrophoretic evidence for homoeologous chromosome pairing in the apogamous fern species *Dryopteris nippensis* (Dryopteridaceae). Journal of Plant Research, 116(2): 165–167.

Ishikawa H, Ito M, Watano Y, Kurita S. 2003. Extensive electrophoretic variation in the apogamous fern *Dryopteris nippensis* (Dryopteridaceae). Acta Phytotaxonomic et Geobotanica, 54: 59–68.

Kanamori K. 1967. Origin and early development of apogamous embryos in the prothallia of *Dryopteris chinensis*. The Journal of Japanese Botany, 42: 111–118.

Kanamori, K. 1972. Apogamy in ferns with special reference to the apogamous embryogenesis. Science reports of the Tokyo Kyoiku Daigaku (Series B), 15: 111–131.

Kato M, Nakato N, Cheng X. 1992. A cytotaxonomic study of ferns of Yunnan, Southwestern China. The Botanical Magazine (Tokyo), 105: 105–124.

Kato M, Nakato N. 1999. A cytotaxonomic study of Hainan (S. China) pteridophytes, with notes on polyploidy and apogamy of Chinese species. In: Zhang XC, Shing KH eds. Ching Memorial Volume. Beijing: China Forestry Publishing House. Pp, 1–19.

Kawakami SM, Ito M, Kawakami S. 1995. Apogamous sporophyte formation in a fern *Pteris multifida* and its characteristics.

Journal of Plant Research, 108(2): 181–184.

Kawakami SM, Ito M, Kawakami S. 1996. Induced apogamous sporophytes in *Pteris dispers* and *P. semmipinnata*, and the meitic behavior in their sporocytes. Journal of Plant research, 109: 369–373.

Klekowski EJ Jr. 1973. Sexual and subsexual systems in homosporous pteridophytes: a new hypothesis. American Journal of Botany, 60: 535–544.

Knoblich IW. 1967. Chromosome number in *Cheilanthes*, *Notholaena*, *Llavea*, and *Polypodium*. American Journal of Botany, 54: 461–464.

Kurita S. 1960. Chromosome numbers of some Japanese ferns. Journal of Japanese Botany, 35: 269–272.

Kurita S. 1966. Chromosome numbers of some Japanese ferns (5). Journal of Japanese Botany, 41: 82–84.

Kurita S. 1967. Chromosome numbers of some Japanese ferns (7). Ann Rep Foreign Stud Coll Chiba Univ, 2: 57–61.

Laird S, Sheffield E. 1986. Antheridia and archegonia of the apogamous fern *Pteris cretica*. Annals of Botany, 57: 139–143.

Laird S, Sheffleid E. 1986. Antheridia and archegonia of the apogamous fern *Pteris cretica*. Annals of Botany, 57(2): 139–143.

Lang WH. 1898. On apogamy and the development of sporangia upon fern-prothalli. Annals of Botany, 12: 251–259.

Leitgeb H. 1885. Die sprossbildung an apogamen Farnprothallien. Berichte Deutssche Botanische Gesellschaft, 3: 169–176.

Lin S-J, Iwatsuki K, Kato M. 1996. Cytotaxonomic study of ferns from China I. species of Yunnan. The Journal of Japanese Botany, 71: 214–222.

Lin S-J, Kato M, Iwatsuki K. 1990. Sporogenesis, reproductive mode, and cytotaxonomy of some species of *Sphenomeris*,

- Lindsaea*, and *Tapeinidium* (Lindsaeaceae). American Fern Journal, 80: 97–109.
- Lin S-J, Kato M, Iwatsuki K. 1992. Diploid and triploid offspring of triploid agamosporous fern *Dryopteris pacifica*. Journal of Plant Research, 105(3): 443–452.
- Lin S-J, Kato M, Iwatsuki K. 1995. Electrophoretic variation of the apogamous *Dryopteris varia* group (Dryopteridaceae). Journal of Plant Research, 108: 451–456.
- Lin S-J, Zhang H-R, Iwatsuki K, Lu H-S. 2002. Cytotaxonomic study of ferns from China II. Species of Fujian. The Journal of Japanese Botany, 77:129–138.
- Lloyd RM. 1973. Facultative apomixis and polyploidy in *Matteuccia orientalis*. American Fern Journal, 63(2): 43–48.
- Lovis JD 1977. Evolutionary patterns and processes in ferns. Advances in Botanical Research, 4: 229–415.
- Loyal DS. 1960. Some observations on the cytology and apogamy of Himalayan *Dryopteris paleacea* (Don) Hand-Mazz. The Journal of Indian Botanical Society, 39: 608–612.
- Lu J-M, Cheng X. 2003. Chromosome numbers of 10 species of *Cyrtomium* (Dryopteridaceae). Acta Botanica Yunnanica, 25(6): 663–670.
- Lu J-M, Li D-Z, Wu D. 2006. Chromosome numbers of four genera in the Dryopteridaceae. Acta Phytotaxonomica Sinica, 44(5): 516–522.
- Manton I, Sledge WA. 1954. Observations on the cytology and taxonomy of the pteridophyte flora of Ceylon. Philosophical Transactions of the Royal Society of London (Series B, Biological Sciences), 238(654): 127–185.

- Manton I, Walker S. 1954. Induced apogamy in *Dryopteris dilatata* (Hoffm.) A. Gray and *D. filix-mas* (L.) Schott emend. and its significance for the interpretation of the two species. Annals of Botany, 18: 377–383.
- Manton I. 1950. Problems of cytology and evolution in the pteridophyta. Cambridge: Cambridge University Press.
- Manton I. 1958. Chromosomes and fern phylogeny with special reference to Pteridaceae. Journal of Linnean Society (Botany), 56: 73.
- Matsumoto S. 1976. On relation between chromosome numbers and apogamy of *Cyrtomium caryotideum*. Nat. Hist. Tokai. Dist., 2: 35.
- Mehra PN, Bir SS. 1960. Cytological observation on the *Asplenium cheilosorum* Kunze. Cytologia, 25: 17–27.
- Mehra PN, Sulklyan DS. 1969. In vitro studies on apogamy, apospory and controlled differentiation of rhizome segments of the fern, *Ampelopteris prolifera* (Retz.) Copel. Botanical Journal of Linnean Society, 62: 431–443.
- Mehra PN. 1938. Apogamy in *Adiantum lunulatum* Burm. Proceedings of the Indian Academy Sciences, 8: 192–201.
- Mehra PN. 1938. Apogamy in *Pteris biaurita* L. Proceedings of the Indian Academy of Sciences, 8: 202–210.
- Mehra PS, Singh G. 1957. Cytology of Hymenophyllaceae. Journal of Genetics, 55: 379–393.
- Migliaro G, Gálán JMG. 2012. Gametophyte development and reproduction of the Asian fern *Polystichum polyblepharum* (Roem. ex Kunze) C. Presl (Dryopteridaceae, Polypodiopsida). Plant Biosystems, 1–6.
- Mitsuta, S. 1986. A preliminary report on reproductive type of *Cyrtomium* (Dryopteridaceae). Acta Phytotaxonomica et Geobotanica, 37: 117–122.

- Mitui K, Murakami N, Iwatsuki K. 1989. Chromosomes and systematics of *Asplenium* sect. *Hymenasplenium* (Aspleniaceae). American Journal of Botany, 76: 1689–1697.
- Mogie M. 1992. The evolution of asexual reproduction in plants. London: Chapman and Hall.
- Morentzi VM. 1966. Morphological and cytological data on southeastern United States species of the *Asplenium heterochroum-resiliens* complex. American Fern Journal, 56: 167–177.
- Mulligan GA, Cinq-Mars L, Cody WJ. 1972. Natural interspecific hybridization between sexual and apogamous species of the beech fern genus *Phegopteris* Fee. Canadian Journal of Botany, 50: 1295–1300.
- Murakami N, Iwatsuki K. 1990. Origin and genetic variation of agamosporous ferns. Plant Species Biology, 5: 177–182.
- Nakato N, Kato M, Liu B-D. 1995. A cytotaxonomic study of some ferns from Jiangsu and Zhejiang provinces, China. The Journal of Japanese Botany, 70: 194–204.
- Nayar BK, Bajpai N. 1964. Morphology of the gametophytes of some species of *Pellaea* and *Notholaena*. Journal of the Linnean Society (Botany), 59: 63 –76.
- Ootduki R. 2011. Genetic variaion in an apogamous fern species *Cyrtomioium fortunei* (Dryopteridaceae) and its acquistion mechanisms. <http://hdl.handle.net/10748/4143>.
- Ootsuki R, Shinohara W, Suzuki T, Murakami N. 2011. Genetic variation in the apogamous fern *Cyrtomium fortunei* (Dryopteridaceae). Acta Phytotaxonomica et Geobotanica, 62 (1): 1–14.
- Park CH, Masahiro K. 2003. Apomixis in the interspecific triploid hybrid fern *Cornopteris christenseniana* (Woodsiaceae).

- Journal of Plant Research, 116(2): 93–103.
- Patterson MT. 1942. Cytology of apogamy in *Polystichum tsus-simense*. Botanical Gazette, 104: 107–114.
- Reyes-Jaramillo I, Camargo-Ricalde SL, Ma. de los Ángeles Aquiahuatl-Ramos. 2008. Mycorrhizal-like interaction between gametophytes and young sporophytes of the fern *Dryopteris muenchii* (Filicales) and its fungal endophyte. Revista de Biología Tropical, 56(3): 1101–1107.
- Rigby SJ. 1973. Chromosome pairing in obligatory apogamous ferns: *Pellaea atropurpurea* and *Pellaea glabella* var. *glabella*. Rhodora, 75: 122–131.
- Sarbadhikari PC. 1939. Cytology of apogamy and apospory in *Osmunda javanica* Bl. Annals of Botany, 3(1): 137–145.
- Schneller J, Holderegger R, Gugerli F, Eichenberger K, Lutz E. 1998. Patterns of genetic variation detected by RAPDs suggest a single origin with subsequent mutations and long-distance dispersal in the apomictic fern *Dryopteris remota* (Dryopteridaceae). American Journal of Botany, 85(7): 1038–1042.
- Schneller J, Krattinger K. 2010. Genetic composition of Swiss and Austrian members of the apogamous *Dryopteris affinis* complex (Dryopteridaceae, Polypodiopsida) based on ISSR markers. Plant Systematics and Evolution, 286(1-2):1–6.
- Sheffield E, Laird S, Bell PR. 1983. Ultrastructural aspects of sporogenesis in the apogamous fern *Dryopteris borreri*. Journal of Cell Sciences, 63: 125–141.
- Sigel EM, Windham MD, Huiet L, Yatskievych G, Pryer KM. 2011. Species relationships and farina evolution in the cheilanthonid fern genus *Argyrochosma* (Pteridaceae). Systematic Botany, 36(3): 554–564.

- Stange FT. 1887. Mitteilung ueber seine Farnkulturen und die bei denselben beobachtete Apogamie. Sitzung Botanische Gesellschaft Hamburg. In: Juss's Botanische Jahresberichte, 15: 598.
- Steil WN. 1911. Apogamy in *Pellaea atropurpurea*. Botanical Gazette, 52: 400–401.
- Steil WN. 1915. Apogamy in *Nephrodium hirtipes*. Botanical Gazette, 59: 254–255.
- Steil WN. 1918. Studies of some new cases of apogamy in ferns. Bulletin of the Torrey Botanical Club, 45(3): 93–108.
- Steil WN. 1919. A study of apogamy in *Nephrodium hirtipes*. Annals of Botany, 33: 109–132.
- Steil WN. 1919. Apospore in *Pteris sulcata* L. Botanical Gazette, 68: 469–482.
- Steil WN. 1939. Apogamy, aposporey, and parthogenesis in the peridophytes. Botanical Review, V: 433–453.
- Steil WN. 1944. Apospory and apogamy in a species of *Tectaria*. Botanical Gazette, 105: 369–373.
- Steil WN. 1951. Apogamy, apospory and parthenogenesis in pteridophytes II. Botanical review, 17: 90–104.
- Steil WN. 1915. Some new cases of apogamy in ferns (Preliminary Note). Science, 41: 293–294.
- Stokey A. 1918. Apogamy in Cyatheaceae. Botanical Gazette, 62: 97–102.
- Stokey AG, Atkinson LR. 1958. The gametophyte of the Grammitidaceae. Phytomorphology, 8: 391–403.
- Stokey AG. 1948. Reproductive structures of the gametophytes of *Hymenophyllum* and *Trichomanes*. Botanical Gazette, 109(4): 363–380.
- Susukki T, Iwatsuki K. 1990. Genetic variation in agamosporous fern *Pteris cretica* L. in Japan. Heredity, 65: 221–227.
- Takamiya M, Ohta N. 2001. Cytological and reproductive studies of Japanese *Diplazium* (Woodsiaceae; Pteridophyta). III. The

- cytological complexity of species groups with simply pinnate to bipinnatifid leaves. *Journal of Plant Research*, 114: 443–457.
- Takamiya M, Takaoka C, Ohta N. 1999. Cytological and reproductive studies of Japanese *Diplazium* (Woodsiaceae; Pteridophyta): apomictic reproduction in *Diplazium* with evergreen bi-to tripinnate leaves. *Journal of Plant Research*, 112(4): 419–436.
- Takamiya M. 1996. Index to Chromosomes of Japanese Pteridophyta (1910–1996). Tokyo: Japan Pteridological Society.
- Tilquin JP. 1981. Note on apomixis in ferns. *Acta Societatis Botanicorum Poloniae*, 50(1-2): 217–222.
- Tindale MD, Roy SK. 2002. A cytotaxonomic survey of the Pteridophyta of Australia. *Australian Systematic Botany*, 15: 839–937.
- Tryon AF, Britton DM. 1958. Cytotaxonomic studies on the fern genus *Pellaea*. *Evolution*, 12: 137–145.
- Tryon AF. 1968. Comparison of sexual and apogamous rates in the fern genus *Pellaea*. *Rhodora*, 70: 1–24.
- Tryon AF. 1972. Spores, chromosomes and relations to the fern *Pellaea atropurpurea*. *Rhodora*, 74: 220–241.
- Verma SC. 1965. Cytogenetics of the western Himalayan *Pteris cretica* complex. *Annals of Botany*, 29: 673–681.
- Walker TG. 1958. Hybridization in some species of *Pteris* L. *Evolution*, 12: 82–92.
- Walker TG. 1962. Cytology and evolution in the fern genus *Pteris* L. *Evolution*, 16: 27–43.
- Walker TG. 1966. Apomixis and vegetative reproduction in ferns. In: *Reproductive Biology and Taxonomy of Vascular Plants*. Hawkes JG (ed.). Hampton: Middlesex. Pp. 152–161.
- Walker TG. 1968. The *Pteris quadriaurita* complex. *Kew Bulletin*, 14: 321–322.
- Walker TG. 1985. Some aspects of apogamosory in ferns—the Braithwaite system. *Proceedings of the Royal Society of Edinburgh (Section B)*, 86: 59–66.

- Wang R-X, Lu S-G. 2008. A cytotaxonomic study of 10 species of the Polypodiaceae from Yunnan, China. *Journal of Systematics and Evolution*, 46(4): 499–504.
- Wang Z-R, Xia Q. 1984. Cytological observations on some species of *Dryopteris* and *Polystichum* from China. *Acta Botanica Sinica*, 26(1): 24–27.
- Wang Z-R, Zhang Z-X. 1981. Cytological observation on some Chinese ferns. *Acta Botanica Sinica*, 23(6): 427–435.
- Wang Z-R. 1989. A preliminary study on cytology of Chinese *Pteris*. *Acta Phytotaxonomica Sinica*, 27(6): 421–438.
- Ward M. 1963. Developmental patterns of adventitious sporophytes in *Phlebodium aureum* J. Sm. *Journal of the Linnean Society of London (Botany)*, 58(373): 377–380.
- Watano Y, Iwatsuki K. 1988. Genetic variation in “Japanese apogamous form” of the *Asplenium unilaterale* Lam. *The Botanical Magazine (Tokyo)*, 101: 213–222.
- Weng R-F. 1985. Observation on chromosomes of some Chinese ferns. *Journal of Wuhan Botanical Research*, 3(4): 367–372.
- Weng R-F. 1988. Cytological observations on *Dryopteris* of East Asia. *Proceedings of the ISSP*, 141–144.
- Weng R-F. 1990. Cytological observations on some Chinese ferns. *Acta Phytotaxonomica Sinica*, 28(1): 27–33.
- Whittier DP. 1965. Obligate apogamy in *Cheilanthes tomentosa* and *C. alabamensis*. *Botanical Gazette*, 126(4): 275–281.
- Whittier DP. 1970. The initiation of sporophytes by obligate apogamy in *Cheilanthes castanea*. *American Journal of Botany*, 57(10): 1249–1254.
- Whittier DP. 1970. The rate of gametophyte maturation in sexual and apogamous species of ferns. *Phytomorphology*, 20(1):

30–35.

- Windham M, Yatskiewych G. 2003. Chromosome studies of cheilanthonoid ferns (Pteridaceae: Cheilanthoideae) from the western United States and Mexico. *American Journal of Botany*, 90: 1788–1800.
- Woronin H. 1907. Apogamie und Aposporie bei einigen Farnen. *Berichte Deutschen Botanischen Gesellschaft*, 25: 85–86.
- Woronin H. 1908. Apogamie and Aposporie bei einigen Farnen. *Flora*, 98: 101–162.
- Xiang J-Y, Cheng X, Wu S-G. 2006. Chromosome numbers of 13 species in the genus *Dryopteris* (Dryopteridaceae) from Yunnan, China. *Acta Phytotaxonomica Sinica*, 44 (3): 304–319.
- Yamakouchi S. 1907. Apogamy in *Nephrodium* (Preliminary Note). *Botanical Gazette*, 44: 142–147.
- Yamakouchi S. 1908. Apogamy in *Nephrodium*. *Botanical Gazette*, 45: 289–319.
- Yoroi R. 1976. Gametophyte and apogamous embryo of *Crepidomanes latemarginale* form Isl. Ishigaki, Ryuku. *Journal of Japanese Botany*, 51: 257–267.